JNMT
1979 Author Index

(Asterisk indicates abstract.)

Ackerhalt, R.E. and Sondel, J.A. Rapid analysis for radionuclide impurities in Tc-99m, 84

Alderson, P.O. see Merchant, S.L.

Ambos, H.D. see Biello, D.R.

Andrews, J.T. and Smith, H. Accreditation and training in Australia and New Zealand, 237

Applegate, G., Reilley, J., Stelzer, F., Makler, P.T., Fisher, R.S., and Malmud, L.S. Dual isotope scanning of the upper GI tract, 120*

Applegate, G. see Reilley, J.

Armstrong, C.J., Brown, T.F., Kirchner, P.T., and Brunsden, B.S. Right-to-left shunt quantitation, 49*

Ashby, D. Book Review; *Basic Science of Nuclear Medicine*, 44

Baard, W.P., van Heerden, P.D., Oliver, J.H., and Klopper, J.F. Dynamic lung phantom as an educational tool, 98

Babchyck, Samuel, A., Lanoie, Y., Grant, R., and Treves, S. Computer radionuclide voiding cystography, 116*

Babchyck, B. see Samuel, A.

Balon, R.G., Patel, B.A., and Pavel, D.G. Bilateral collimator use for first cardiac studies, 114*

Barat, K.L. Three phase perfusion-ventilation study, 115*

Basiewicz, R.H. see Hughes, J.A.

Battaglia, D.J. see Korona, R.A.

Baxter, J.E. Preparation of Tc-99m pyrophosphate autoradiography, 118*

Bayer, P.L. Mobile scintillation camera venography technique, 118*

Becker, L.C. see Merchant, S.L.

Been, J. see Carpenter, J.
see Fahrenkrug, R.
see Garner, T.

Been, J., Carpenter, J., Garner, T., Fahrenkrug, R., Schmidt, D.H. Technical aspects of intervention testing in nuclear cardiology, 249*

Beierwaltes, W. see Reeder, M.

Beller, G.A. see Petroff, G.I.

Berger, H.J. see Pytlik, L.

Bertram, J.E. see Sinclair, M.D.

Biello, D.R., Ambos, H.D., Sampathkumaran, K.S., and Hitchens, R.E. Cost-effective portable digital data collection system, 154

Bigham, K.E. see Crucitti, T.W.

Bindseil, L.A. and Johnston, G.S. Whole body single-emission computed axial tomography, 113*

Bischoff, P., Washington, J., Kontzen, F.N., Dubovsky, E.V., and Tauxe, W.N. Combination glucoheptonate and hippuran kidney studies, 113*

Blue, P.W. see Carr, J.R.

Borda, A.J. see Capuzzi, J.P.

Bott, S.M. see Miller, K.L.

Brady, T.J. see Clare, J.M.

Branson, B.M. see Williams, C.C.

Bray, J. Central radiopharmacy, 191

Brown, T.F. see Armstrong, C.J.

Brunsden, B.S. see Armstrong, C.J.

Burris, R.T. Certification by ARRT and NMTCB, 247

Caprio, M.L. Acquisition of camera flood images, 246

Caprio, M.L. and Tenpenny, R. Assessment of photomultiplier tube balance, 157

Capuzzi, J.P., Borda, A.J. and Rothenberg, H.P. New dispensing device for ventilation studies, 114*

Carpenter, J., Garner, T., Fahrenkrug, R., Been, J., Hellman, C.K., Fuchs, M., and Schmidt, D.H. Running a nuclear cardiology department, 250*

Carpenter, J., Garner, T., Fahrenkrug, R., Been, J., Hellman, M.G., and Schmidt, D.H. Noncoronary artery disease abnormalities in nuclear cardiology imaging, 249

Carpenter, J. see Been, J.
see Fahrenkrug, R.
see Garner, T.

Carr, J.R., Corcoran, R.J., and Kaminski, R.J. A new syringe shield design, 50*

Carr, J.R., Petty, J.R., Yates, A.T., Kyle, R.W., Corcoran, R.J., and Kaminski, R.J. Dynamic heart phantom for left ventricular imaging, 49*

Carr, J.R., Wilk, J.M., Blue, P.W., Corcoran, R.J., and Kaminski, R.J. Indexing thyroid size for camera pinhole collimator imaging, 50*

Carr, J.R. see Wilk, J.M.

Carretta, R.F. see Giardina, S.M.

Carroll, R. see Levine, G.

Celcer, W.F. see Korona, R.A.

Christensen, D.A., and Miller, T.R. Technique for simultaneous ventilation-perfusion lung imaging utilizing Kr-81m gas and Tc-99m macroaggregated albumin, 249*

Christie, J.H., Robinson, R.G., Kirchner, F.R., Preston, D.F., and Wegst, A.V. Xe-133 ventilation and clearance of sinuses and middle ear, 115*

Clare, J.M., Brady, T.J., Lo, K., Thrall, J.H., and Pitt, B. Nuclear medicine technologist calculated left ventricular ejection fractions, 118*

Clarke, L.M. see Steves, A.M.

Clay, B.J. Anonymity in NMT, 246

Corcoran, R.J. see Carr, J.R.

Cradduck, T.D. Book review; *Radiation Protection in the Radiologic and Health Sciences*, 192

Crucitti, T.W., Bigham, K.E., and Herrara, N.E. New bolus-injection system, 150

Crucitti, T.W. see Valdez, V.A.

Cunningham, D.E. see Miller, K.L.

Cunningham, M.S. Central radiopharmacy, 190

Dadswell, S. see Wilkins, K.

Davis, S. J. see Steele, M.L.

Decker, W.J. and James, E.G. Anger camera as monitor for radiation protection, 112*

Douglas, D.N. Book Review; *Computer Techniques in Cardiology*, 245

Dubovsky, E.V. see Bischoff, P.
see Kontzen, F.N.

Dufresne, E.N. and Kaplan, W.D. Internal mammary lymphoscintigraphy, 49*

Dunlap, S.A. Nuclear medicine procedures in veterinary medicine, 111*

Enos, G.W. Phantom for clinical evaluation of total system resolution, 113*

Enos, G.W. Phantom for evaluation of total system resolution, 160

Espinola, A, see Ravel, R.

Exten, R.E. Film technique conversion, 115*

Fain, J.W., Garcia, E.V., Hourani, M., Serafini, A. Right anterior oblique projection of gated left ventricle, 117*

Fahrenkrug, R., Garner, T., Been, J., Carpenter, J., Hellman, C.K., and Schmidt, D.H. Application of the bi-

lateral collimator in cardiac imaging, 249*
Fahrenkrug, R. see Carpenter, J.
see Been, J.
see Garner, T.
Faulkner, D. see Strauss, H.
Faulkner, J.A. see Proctor, L.A.
Fernandes, P., Roskopf, M., Gagne, G., Grossman, Z.D., McAfee, J.G., Zens, A.L., and Thomas, F.D. Extraction fraction used to test clinical renal agent, 119*
Fierce, J.A., Wolczak, D.F., and Matin, P. $^{99m}TcO^{4-}$ evaluation of CSF shunt patency, 117*
Fisher, R.S. see Applegate, G.
see Reilley, J.
Frick, M.P. see Huls, L.M.
Fuchs, M. see Carpenter, J.

Gagne, G. see Fernandes, P.
Garcia, E.V. see Fain, J.W.
Garner, T., Been, J., Fahrenkrug, R., Carpenter, J., Hellman, C.K. and Schmidt, D.H. Patient considerations in nuclear cardiology, 249*
Garner, T. see Carpenter, J.
see Been, J.
see Fahrenkrug, R.
Garone, M. see Strauss, H.
Giardina, S.M., Wolczak, D.F., Monk, J.K., and Carretta, R.F. Tc-99m Sn colloid for liver imaging, 117*
Giel, J. Strauss, H.
Goldsmith, S.J. see Ramanujam, M.
Goldstein, H.A. Book review; *CRC Manual of Nuclear Medicine Procedures, Third Edition,* 43
Goldstein, H.A. Book review; *Nuclear Medicine Science Syllabus,* 92
Gottschalk, A. see Pytlik, L.
Grant, R. see Babchyckm B.
see Samuel, A.
Green, G.E. see Wedel, V.J.
Gross, M. see Reeder, M.
Grossman, Z.D. see Fernandes, P.

Hamilton, D.R. see Lewis, J.T.
Hansell, J.R. Book review; *Nuclear Medicine: Endocrinology,* 43
Hanson, P.C. Testicular perfusion imaging, 91
Hassouna, H.M. Understanding and responding to patients, 171
Hellman, C.K. see Carpenter, J.
see Fahrenkrug, R.
see Garner, T.
Hellman, M.G. see Carpenter, J.
Herrera, N.E. see Crucitti, T.W.
see Valdez, V.A.
Heyert, M. Technologist-patient communications, 96
Heyman, S. see Samuel, A.
Hinkle, K.M. Technical aspects and pitfalls of nuclear cystography, 33
Hitchens, R.E. see Biello, D.R.
Hodges, H.D. Book review; *Instrumentation and Monitoring Methods for Radiation Protection,* 245
Hoffman, .R.F., Payne, R.F. and Turner, J.H. Dynamic radionuclide venogram correlation with radiographic contrast venography, 29
Hourani, M. see Fain, J.W.
Hughes, J.A., Williams, C.C., Thomas, S.R., Maxon, H.R., Basiewicz, R.H., and Love, W.J. Potential errors caused by radionuclide impurities of I-123, 167
Huls, L.M., Frick, M.P. and Loken, M.K. Tc-99m S colloid and In-111 white blood cell scans in intra-abdominal abscess diagnosis, 114*

James, E.G. see Decker, W.J.
Johnson, S. Differences in film contrast, 118*
Johnston, G.S. see Bindseil, L.A.

Kaminski, R.J. see Carr, J.R.
see Wilk, J.M.
Kaplan, W.D. see Dufresne, E.N.
Kauffman, C.D. and Teates, C.D. Radionuclide technique for gastric emptying studies, 113*
Keyes, J.W. see Tuscan, M.J.
Kirchner, F.R. see Christie, J.H.
Kirchner, P.T. see Armstrong, C.J.
Klopper, J.F. see Baard, W.P.
Koff, S.A. see Tuscan, M.J.
Kontzen, F.N., Namey, T., Tobin, M., Dubovsky, E.V., and Tauxe, W.N. Technical aspects of joint imaging, 219

Kontzen, F.N. see Bischoff, P.
Koral, K. see Reeder, M.
Korona, R.A., Celcer, W.F., and Battaglia, D.J. I-125 cortisol radioimmunoassay, 50*
Kowalsky, R.J. Book review; *The Chemistry of Radiopharmaceuticals,* 43
Kowalsky, R.J. Stability of Xe-127 in unit dose vials, 222
Kreitzer, R.D. Computer analysis of chromatography, 111*
Kyle, R.W see Carr, J.R.

Lanoie, Y. see Babchyck, B.
see Samuel, A.
Lao, R.S. see Smillie, R.E.
LaRocque, L.R. Whole-body I-131 scanning for functional thyroid metastases, 36
LaRocque, L.R. Gallium-Subtraction Technique for Tumor Localizing, 239
Levine, G., Carroll, R. and Nahmias, S. Optimizing radiopharmaceutical utilization, 88
Levit, N.B. and Ogiela-Bazner, M. Shielded syringe carriers for transporting radioactive doses, 226
Levy, T.J. see Petroff, G.I.
Lewis, J.T. and Hamilton, D.R. Government and professional organization-credentialing of nuclear medicine technologists, 233
Lo, K. see Clare, J.M.
Loken, M.K. see Huls, L.M.
Love, W.J. see Hughes, J.A.

Maguire, W.J. Misleading results with bar phantom image, 81
Majewski, W. see Ninos, C.
Makler, P.T. see Applegate, G.
Malmud, L.S. see Applegate, G.
see Reilley, J.
Martin, N.L. see Steele, M.L.
Matin, P. see Fierce, J.A.
Maxon, H.R. see Hughes, J.A.
Maxwell, M. Central radiopharmacy, 190
McAfee, J.G. see Fernandes, P.
McRae, C. see Smillie, R.E.
Merchant, S.L., Alderson, P.O., Schindledecker, R., Becker, L.C., and Rigo, P. Valvular regurgitation measurements, 116*
Miller, K.L., Bott, S.M., Velkley, D.E., and Cunningham, D.E. Contamination and exposure associated with radioiodine therapy, 163
Miller, T.R. see Christensen, D.A.
Monk, J.K. see Giardina, S.M.
Muilenberg, M.I. NMTCB certification, 247

Nahmias, S. see Levine, G.
Namey, T. see Kontzen, F.N.
Nikawitz, E. see Strauss, H.
Nonos, C., Majewski, W., and Zimmer, K. Multiplanar tomography for imaging myocardial Tl-201 perfusion, 117*

Ogiela-Bazner, M. see Levit, N.B.
Olivier, J.H. see Baard, W.P.
Oxaal, L.M. Xe-127 vs Xe-133, 112*

Park, C. see Patel, J.
Patel, B.A. see Balon, R.G.
see Taukulis, R.A.
Patel, J., Park, C., and Shalan, K. Tc-99m PIPIDA for hepatobiliary evaluation, 113*
Patrick, D.R. see Proctor, L.A.
Pavel, D.G. see Balon, R.G.
see Taukulis, R.A.
Payne, R.F. see Hoffman, R.F.
Petroff, G.I., Levy, T.J., Watson, D.D., Teates, C.D., and Beller, G.A. Quantitation of sequential Tl-201 images, 114*

Petty, J.R., see Carr, J.R.
Pitt, B. see Clare, J.M.
Preston, D.F. see Christie, J.H.
see Steele, M.L.
Proctor, L.A., Patrick, D.R., and Faulkner, J.A. Automated pipetting system for radioimmunoassay, 119*
Purves, P. see Wilkins, K.
Pytlik, L., Berger, H.J., Gottschalk, A., and Zaret, B.L. Comparison of exercise methods to evaluate ventricular performance, 114*

Ramanujam, M., Weber, J., and Goldsmith, S.J. Quality control in nuclear imaging, 112*
Ravel, R. and Espinola, A. Comparison of 24 I-125 thyroxine kits, 174
Reed, V.R. Background in gated cardiac blood pool studies, 116*
Reeder, M., Koral, K., Gross, M., and Beierwaltes, W. Calculation of I-131 iodomethylnorcholesterol adrenal gland uptake, 118*
Reese, L. see Wilkins, K.
Reilley, J., Applegate, G., Tolin, R.D., Malmud, L.S., and Fisher, R.S. Esophageal scintigraphy technique, 120*
Reilley, J. see Applegate, G.
Richards, P.A.C. TSH immunoassay using heel prick plasma from neonates, 230
Rigo, P. see Merchant, S.L.
Robinson, R.G. see Christie, J.H.
see Steele, M.L.
Roman, M. see Strauss, H.
Roskopf, M. see Fernandes, P.
Rothenberg, H.P. see Capuzzi, J.P.

Sampathkumaran, K.S. see Biello, D.R.
Samuel, A., Hyman, S., Babchyck, B., Lanoie, Y., and Treves, S. Radionuclide evaluation of gastro-esophageal reflux and aspiration in children, 116*
Samuel, A., Lanoie, Y., Grant, R., Babchyck, B., and Treves, S. Kr-81m ventilation studies in children, 116*
Samuel, A. see Babchyck, B.
Schindledecker, R. see Merchant, S.L.
Schmidt, D.H. See Carpenter, J.
see Been, J.
see Fahrenkrug, R.
see Garner, T.
Serafini, A. see Fain, J.W.
Shalan, K. see Patel, J.
Sinclair, M.D., Bertram, J.E., and Wahner, H.W. Workload recording in nuclear medicine, 117*
Sisodia, C.L. Dual isotope-computer superimposition studies of myocardial infarct, 112*
Smillie R.E., Lao, R.S., Sy, W.M. and McRae, C. Extra-hepatic abnormalities on dynamic hepatic scintigrams, 49*
Smith, H. see Andrews, J.T.
Sodd, V.J. see Williams, C.C.
Sondel, J.A. see Ackerhalt, R.E.
Steele, M.L., Preston, D.F., Martin, N.L., Robinson, R.G., and Davis, S.J. Caudal-cranial axial view of the pelvis, 115*
Stelzer, F. see Applegate, G.
Steves, A.M. A workbook for nuclear medicine technology students, 119*
Steves, A.M. and Clarke, L.M. Human relations workshop for nuclear medicine technologists, 119*
Strauss, H., Faulkner, D., Garone, M., Roman, M., Giel, J., Zarzyckik, M.J., and Nikawitz, E. Upgrading a scintillation camera, 77
Sy, W.M. see Smillie, R.E.
Taukulis, R.A., Zimmer, A.M., Pavel, D.G. and Patel, B.A. Miniaturized chromatography systems, 19
Tauxe, W.N. see Bischoff, P.
see Kontzen, F.N.
Teates, C.D. see Kaufman, C.D.
see Petroff, G.I.
Tenpenny, R. see Caprio, M.L.
Thomas, F.D. see Fernandes, P.
Thomas, R.E. see Wedel, V.J.
Thomas, S.R. see Hughes, J.A.
Thompson-Spangler, N.A. Absence of corpus collosum and high pressure hydrocephalus, 241
Thorp, S.M. Evaluation of CSF diversionary shunts, 111*
Thrall, J.H. see Clare, J.M.
see Tuscan, M.J.
Tobin, M. see Kontzen, F.N.
Tolin, R.D. see Reilley, J.
Treves, S. see Babchyck, B.
see Samuel, A.
Turner, J.H. see Hoffman, R.F.
Tuscan, M.J., Thrall, J.H., Koff, S.A. and Keyes, J.W. Diuretic augmented Tc-99m DTPA renography, 111*

Valdez, V.A., Crucitti, T.W. and Herrara, N.E. Agenesis of right pulmonary artery, 40
van Heerden, P.D. see Baard, W.P.
Velkley, D.E. see Miller, K.L.

Wahner, H.W. see Sinclair, M.D.
Washington, J. see Bischoff, P.
Watson, D.D. see Petroff, G.I.
Weber, J. see Ramanujam, M.
Wedel, V.J. Color scintiphotographic radionuclide angiography, 94
Wedel, V.J., Green, G.E., and Thomas, R.E. Eliminating motion in exercise ventriculograms, 49*
Wedel, V.J., Green, G.E., and Thomas, R.E. Motion elimination in exercise radionuclide ventriculograms, 147
Wegst, A.V. see Christie, J.H.
Weigand, P. Anonymous letters, 246
Weigand, P. Book review: *NCRP Report No. 59: Operational Radiation Safety Program,* 192
Weigand, P. Book review: *Textbook of Nuclear Medicine Technology,* 245
Weigand, P. Editorial; reviewers, 17
Weigand, P. Editorial; technologist's role, 76
Weigand, P. Editorial; reader response cards, 218
Wilk, J.M., Carr, J.R., and Kaminski, R.J. Comparison of damage and intact NaI(Tl) crystal response, 50*
Wilk, J.M. see Carr, J.R.
Wilkins, K. and Reese, L. Tc-99m pyrophosphate imaging and wall motion studies for suspected myocardial infarct, 25
Wilkins, K., Reese, L., Purves, P. and Dadswell, S. Bilateral collimator for first-pass cardiac angiography, 120*
Williams, C.C., Sodd, V.J., and Branson, B.M. Radiation exposure from an automated Tc-99m dispensing system, 23
Williams, C.C. see Hughes, J.A.
Wolczak, D.F. see Fierce, J.A.
see Giardina, S.M.
Wynant, G.E. Pertechnetate abdomen scan in Ascaris lumbricoides, 243

Yates, A.T. see Carr, J.R.

Zaret, B.L. see Pytlik, L.
Zaraycki, M.J. see Strauss, H.
Zens, A.L. see Fernandes, P.
Zimmer, A.M. see Taukulis, R.A.
Zimmer, K. see Ninos, C.

JNMT
1979 Subject Index

(Asterisk indicates abstract.)

Abscess
imaging, abdomen, 114*
Adrenal glands
endocrinology, book review, 43
quantitative I-131 iodomethylnorcholesterol uptake, 118*
Artifact
bar phantom, 81
film, 112*
Autoradiography
Tc-99m pyrophosphate, 118*

Background
abdominal abscess detection, 114*
bone correction, myocardial infarct imaging, 112*, 117*
calculation of cardiac ejection fraction, 116*
monitoring, scintillation camera, 112*
subtraction, Ga-67 citrate tumor scanning, 239
Bladder
$^{99m}TcO_4$-cystography, 33, 116*
Bone
imaging, pelvic, 115*
procedures, book review, 43
scanning, veterinary medicine, 111*
subtraction from myocardial images, 112*, 117*
Bone marrow
procedures manual, book review, 43
Book review
Basic Science of Nuclear Medicine, 44
Computer Techniques in Cardiology, 245
CRC Manual of Nuclear Medicine Procedures, 43
Instrumentation and Monitoring Methods for Radiation Protection, 245
NCRP Report No. 59: Operational Radiation Safety Program 192
Nuclear Medicine; Endocrinology, 43
Nuclear Medicine Science Syllabus, 192
Radiation Protection in the Radiologic and Health Sciences, 192
Textbook of Nuclear Medicine Technology, 245
The Chemistry of Radiopharmaceuticals, 43
Brain
procedures manual, book review, 43
Breast
cancer, lymph node imaging, 49*

Camera, scintillation
bar phantom image artifact, 81
flood field image acquisition, 246
photomultiplier tube balance, 157
portable, digital data collecting system, 154
portable, Tc-99m microsphere venography, 118*
quality control, phantom, 49*, 160
radiation protection monitor, 112*
upgrading, 77
Cerebrospinal fluid
shunt evaluation, 111*, 117*
Chromatography
miniaturized systems, Tc-99m agents, 19
paper strips, camera computer analysis, 111*
Cisternography
complementary computerized tomography, in child, 241
Cobalt-57
markers, thyroid size estimation, 50*
source, photomultiplier tube balance assessment, 157
Collimator
bilateral, first transit cardiac studies, 114*, 120*
bilateral, Tl-201 myocardial perfusion imaging, 249 *
multiplanar tomographic Tl-201 cardiac perfusion, 117*
pinhole, thyroid size estimation, 50*
Computer
See also *Data processing*
cardiology techniques, book review, 245
lung ventilation-perfusion studies,115*
portable digital data collecting system, 154
superimposition, dual isotope myocardial infarct imaging, 112*
Cortisol
radioimmunoassay, 50*
Credentials see *Licensing*
Crystal
NaI(Tl), spectral response, 50*

Data processing
adrenal gland uptake of I-131 iodomethylnorcholesterol, 118*
background subtraction, cardiac imaging, 116*, 117*
background subtraction, Ga-67 tumor imaging, 239
joint imaging, 219
Tl-201 sequential heart image quantitation, 114*
Departmental operations
central radiopharmacy effects, 108, 190, 191, 246
certification board task analysis, 102
conversion from xe-133 to Xe-127, 112*
conversion from Xe-133 to Xe-127, 112*
human relations workshop, 119*
nuclear cardiology, 250*
nuclear medicine technologist position description, 102, 178
procedure manual, book review, 43
quality control program, 112*
radiopharmacy inventory use, 88
student workbook, 119*
technologist-patient relations, 33, 96, 171
workload recording, 117*
Display, color
dual isotope myocardial infarct imaging, 112*
radionuclide angiography, 94
Dose calibration
I-123, 167

Ear
middle, Xe-133 ventilation studies, 115*

Education
certification board task analysis, 102
human relations workshop, 119*
student workbook, 119*
technologist training, Australia, New Zealand, 237
textbook, book review, 245
Endocrine glands
see also specific gland
book review, 43
Eye
studies, procedure manual, 43

Film
artifacts, quality control, 112*
evaluation, 115*, 118*
Food and Drug Administration
credentialing, 233

Gallium-67
tumor imaging, subtraction technique, 239
Gastrointestinal tract
gastric emptying, 113*
gastro-esophageal reflux evaluation, Tc-99m S colloid, in children, 116*
imaging, Ascaris lumbricoides infestation, 243
imaging technique, Tc-99m S colloid, 120*
procedures manual, 43
upper, dual Tc-99m HIDA, In-111 DTPA imaging, 120*
Generator
Mo-99m breakthrough, 108

Heart
bilateral collimator, imaging, 249*
bolus injection systems, 150
computer techniques, book review, 245
ejection fraction, background correction, 116*
ejection fraction calculation, accuracy, 118*
ejection fraction, exercise methods, 114*
exercise studies, motion correction, 49*, 147
first pass studies, bilateral collimator, 114*, 120
infarct imaging, dual isotope, computer superimposition, 112*
infarct scanning, wall motion, Tc-99m pyrophosphate, 25
intervention studies, technical aspects, 249*
left ventricle visualization, RAO view, 117*
multiplanar tomography, Tl-201, 117*
noncoronary artery disease, imaging, 249*
phantom, dynamic, 49*
portable digital data collecting system, 154
procedures manual, 43
PYP imaging, 249*
right-to-left shunt quantitation, 49*
sequential Tl-201 image quantation, 114*
Tc-99m angiography, color display, 94
valvular regurgitation, gated Tc-99m HSA imaging, 116*
Hepatobiliary system
dual In-111 DTPA, Tc-99m HIDA GI studies, 120*
Tc-99m PIPIDA, histograms, imaging, 113*
Hippuran
comprehensive renal function studies, 113*
Hormone
assays, book review, 43
Hypothalamus
endocrinology, book review, 43

Indium-111
-DTPA, cisternography, 241
-DTPA, gastrointestinal imaging, 120*
-white blood cells, abdominal abscess detection, 114*
Instrumentation
see also *Camera, scintillation; Computer*
color display, radionuclide angiography, 49*
dynamic liver scintiangiography, 49*
synchronized scanning table, 49*
Iodine-123
radionuclidic purity, 167
Iodine-125
cortisol radioimmunoassay, 50*
-T_4, comparison of 24 kits, 174
Iodine-131
-hippuran, kidney extraction fraction, in dogs, 119*
-iodomethylnorcholesterol, quantitative adrenal uptake, 118*
metastatic thyroid cancer survey, 36
therapy, radiation safety, 163

JNMT
anonymous letters, 246
costs, 109
reviewers, 17
Joint
imaging technique, 219

Kidney
combined orthoiodohipurate and gluconate studies, 113*
extraction fraction, five renal agents, 119*
renogram, Tc-99m DTPA, diurectics, 111*
scanning, veterinary medicine, 111*
subtraction, Ga-67 tumor imaging, 239
vesicoureteral reflux imaging, $^{99m}TcO_4$-, in children, 116*
Kit
cortisol radioimmunoassay, 50*
T_4, comparison, 174
Krypton-81m
imaging, dynamic lung phantom, 98
lung ventilation in children, 116*
lung ventilation, 249*

Licensing
accreditation, Australia, New Zealand, 237
governmental,and professional organization roles, 233
NMTCB, ARRT certification, 247
Liver
imaging, Tc-99m S colloid, 117*
procedures manual, 43
scanning, veterinary medicine, 111*
single-photon emission tomography, 113*
subtraction, Ga-67 tumor imaging, 239
Tc-99m S colloid angiography, 49*
Lung
aspiration detection, Tc-99m S colloid, in children, 116*
dynamic phantom, 98
procedures manual, 43
imaging, pulmonary embolism, 29
scanning, veterinary medicine, 111*
ventilation, comparison of Xe-127, Xe-133, 112*
ventilation, Xe-133 gas dispenser, 114*
ventilation-perfusion, Kr-81m, Tc-99m MAA, in children, 116*

ventilation-perfusion, three phase study, 115*
Lymph node
imaging, Tc-99m Sb sulfide, 49*

Mercury-197
-chlormerodrin, kidney extraction fraction, in dogs, 119*
Molybdenum-99m
breakthrough, Tc-99m generator, 108

Nuclear Medicine Technology Certification Board, 102, 247

Ovaries
endocrinology, book review, 43

Pancreas
endocrinology, book review, 43
Parasites
dynamic $^{99m}TcO_4^-$ gastrointestinal imaging, 243
Parathyroid
endocrinology, book review, 43
Patient communications
consideration in nuclear cardiology, 249*
human relations workshop, 119*
patient needs, 33, 96
recommendations, 171
Patient position
joint imaging, 219
myocardial exercise studies, 49*
Pediatrics
cisternography, computerized tomography, 241
gastro-esophageal reflux, pulmonary aspiration evaluation, Tc-99m S colloid, 116*
gastrointestinal imaging, Ascaris lumbricoides infestation, $^{99m}TcO_4^-$, 243
lung ventilation, perfusion, Kr-81, Tc-99m MAA, 116*
$^{99m}TcO_4^-$ cystography, 33, 116*
TSH radioimmunoassay, heel prick, 230
Phantom
bar, artifacts, 81
dynamic heart, 49*
dynamic lung, 98
scattering, for scintillation camera, 113*
total system resolution, 160
Pituitary gland
endocrinology, book review, 43
Pulse height analysis
Tc-99m generator eluate, 84

Quality control
bar phantom image artifacts, 81
chromatography, 19, 111*
damaged NaI(Tl) crystals, 50*
film, 112*, 115*, 118*
instrumentation, dynamic heart phantom, 49*
photomultiplier tube balance, 157
program, departmental, 112*
radionuclide impurities in Tc-99m generator eluate, 84, 108
scintillation camera, flood field image, 246
unit dose vials, Xe-127, 222
upgraded scintillation camera, 77

Radiation safety
bolus injection shield, 150
book review, 192, 245
exposure from automated Tc-99m dispensing system, 23
I-131 therapy, 163
scintillation counter as a monitor, 112*
syringe shield, 50*, 226
Xe-127 storage, 222
Radiation therapy
breast cancer, lymph node imaging, 49*
Radioimmunoassay
automated pipetting, 119*
cortisol, 50*
thyroxine, comparison of kits, 174
TSH, heel prick, neonates, 230
Radiometric assay
hormones, book review, 43
Radiopharmacy
book review, 43
central, 108, 190, 191, 246
inventory and use system, 88
Red blood cells see *Technetium-99m*
Resolution
flood field images, count rate effects, 246
scattering phantom, 113*
scintillation camera, 77, 81, 113*
total system, phantom, 160

Shielding
bolus injection, 150
syringe, 50*, 226
Sinus
ventilation, Xe-133, 115*

Technetium-99m
-albumin, gated cardiac imaging, 116*
automated dispensing system, radiation dose, 23
cardiac ejection fractions, 114*
-diphosphonate, chromatography, 19
-DMSA, kidney extraction fraction, in dogs, 119*
-DTPA, chromatography, 19
-DTPA, CSF shunt evaluation, 111*
-DTPA, kidney extraction fraction, in dogs, 119*
-DTPA, renogram, diuretic, 111*
generator eluate, impurity determinations, 84, 108
-glucoheptonate, kidney extraction fraction, in dogs, 119*
-glucoheptonate, kidney imaging, 113*
-HIDA, upper GI tract imaging, dual In-111 DTPA, 120*
-MAA, lung perfusion, in children, 116*
-MAA, lung scanning, 40
-macroaggregated ferrous oxide, dynamic venography, 29
-methylene diphosphonate, joint imaging, 219
-microspheres, mobile scintillation camera venography, 118*
-pertechnetate, CSF shunt evaluation, 117*
-pertechnetate, chromatographic analysis, 19
-pertechnetate, cystography, 33, 116*
-pertechnetate, testicular perfusion imaging, 91
-PIPIDA, hepatobiliary evaluation, 133*
-pyrophosphate, autoradiography technique, 118*
-pyrophosphate, myocardial infarct imaging, 112*
-phosphates, pelvis imaging, 115*
-pyrophasphate, wall motion, in infarct, 25
-red blood cells, in vivo labeled, heart angiography, 94
-red blood cells, in vivo labeling, 120*, 147
-S colloid, abdominal abscess detection, 114*
-S colloid, dynamic liver angiography, 49*

-S colloid, gastrointestinal imaging, 120*
-S colloid, gastro-esophageal reflux, pulmonary aspiration evaluation, in children, 116*
-Sn-colloid, liver imaging, 117*
Terminology
credentaling, 233
Testes
perfusion imaging, $^{99m}TcO_4$-, 91
Thallium-201
heart image quantitation, 114*
myocardial infarct imaging, 112*
myocardial perfusion, multiplanar tomography, 117*
Therapy
I-131, radiation safety, 163
Thrombus, see *Vascular system*
Thrombus
Thyroid
cancer, I-131 metastases survey, 36
endocrinology, book review, 43
screening, TSH, neonates, 230
size estimation, 50*
studies, veterinary medicine, 111*
therapeutic I-131, radiation safety, 163
uptake, I-123, effect of radionuclidic impurities, 167
Thyroid stimulating hormone (Thyrotropin)
radioimmunoassay, 230
Thyroxine
comparison of 24 kits, 174
Tomography, computerized axial
complementary to cisternography, 241
Tomography, single photon
whole body, 113*
Transportation
regulation, shields, 226
Tumor
Ga-67 imaging, subtraction technique, 239
metastatic thyroid cancer, I-131 survey, 36

Urinary tract
imaging procedures, manual, 43
$^{99m}TcO_4$- cystography, 33, 116*

Vascular system
radionuclide venography as part of lung study, 115*
venography, Tc-99m macroaggregated ferrous oxide and contrast, 29
venography, Tc-99m microspheres, mobile camera, 118*
Veterinary
nuclear medicine, 111*

White blood cells
In-111, abscess detection, 114*

Xenon-127
lung ventilation, compared to Xe-133, 112*
stability, unit dose vials, 222
Xenon -133
imaging, dynamic lung phantom, 98
lung ventilation, compared to Xe-127, 112*
lung ventilation, dispenser, 114*
ventilation of sinuses, middle ear, 115*

SNM
Rocky Mountain Chapter
Annual Meeting

March 26–29 **Holiday Inn** **Park City Ski Resort, Park City, UT**

The Rocky Mountain Chapter of the Society of Nuclear Medicine will hold its annual meeting March 26–29, 1980, at the Park City Ski Resort, Park City, Utah.

The program will include invited speakers; submitted papers in the area of hepatobiliary and other gastrointestinal disorders are preferred.

Technologists are invited to submit abstracts, which should be typed in a single-space format and limited to 300 words including title.

Send abstracts to:

Paul Christian
Dept. of Nuclear Medicine
1C-409 University of Utah Medical Center
50 North Medical Drive
Salt Lake City, UT 84132.

Deadline for submission of abstracts is Feb. 1, 1980.